



500-2 Toronto St.
Toronto ON
M5C 2B6
PH: 416 546-2707
FAX: 416 218-9772
Email: appia@appiaenergy.ca
Website: www.appiaenergy.ca



NEWS RELEASE

APPIA REPORTS HIGH CONCENTRATIONS OF GALLIUM WITHIN THE RARE EARTH ELEMENT MINERALIZATION SYSTEM, ALCES LAKE PROPERTY

TORONTO, ONTARIO, January 23, 2020 - Appia Energy Corp. (the “Company” or “Appia”) (CSE:API, OTCQB:APAAF.US, Germany: “A0LF”, “A0LMU”, “A0LBE”) is pleased to announce the preliminary findings from an investigation into the element gallium that has been observed within the high-grade rare earth element mineralization system (the “**mineralization system**”) on the Alces Lake property, northern Saskatchewan.

High concentrations of gallium oxide were identified in the 2017 Alces Lake prospecting lithochemical results. An average of 138.75 ppm (0.014 wt%) and maximum of 348.15 ppm (0.035 wt%) Ga₂O₃ was calculated from 23 samples (n=23) after applying a cut-off of 4.0 wt% Total Rare Earth Oxide (“**TREO**”) to the full suite of sample results (n=53) (see Table 1). Gallium is one of the few elements besides uranium, thorium, lead, scandium and phosphorus that exhibits a similar positive linear correlation with total rare earth oxides, suggesting not only that gallium is part of the mineralization system but could be directly related to monazite (i.e., the higher the concentration of TREO, the higher the concentration of gallium).

Ten samples with a variety of TREO grades from the 2018 Alces Lake exploration program were sent to ACT Labs in Ancaster, Ontario, for inter-lab quality assurance element grade checks. ACT Labs confirmed high concentrations of gallium, but the ACT Labs results returned much higher values than those from the 2017 samples simply due to the different analytical digestion techniques used.

The ACT Labs gallium results were as expected, with a range of 21.51 ppm to 1,150.64 ppm Ga₂O₃ and showing a positive linear correlation with TREO (see Table 1). Five samples with greater than 4.0 wt% TREO produce an average value of 599.78 ppm (0.060 wt%) Ga₂O₃.

Gallium is one of several elements deemed “critical” by the United States Government (i.e., restricted supply by China, Kazakhstan and Ukraine, and in high-demand) that is used in numerous modern technological applications, in wireless communications such as 5G, cell phones, laser diodes, semiconductors, solar energy magnetic materials, and military defense. A significant potential exists for bottlenecks in the gallium supply chain because of rapid growth in areas of green/clean energy technologies.

As much as 90% of primary global gallium supply is a by-product of processing of bauxite (alumina ore) with lesser amounts derived from sphalerite (ZnS) production. It takes multiple cycles of bauxite processing before the gallium content reaches its production starting concentration point of approximately 100 – 125 ppm Ga₂O₃.

Production of gallium is therefore limited by global factors and economics that influence the production of the principal mineral commodities (i.e., aluminum or zinc).

Much like rare earth elements (“REE”), gallium is widely dispersed in nature but rarely found in economically extractable quantities. For example, the Apex mine, southwestern Utah, USA, was the only primary mined source of gallium (and germanium) until its closure in 2011 by Teck Resources Limited. The mine operated intermittently over 100 years since 1884. A historic estimate for the average concentration of gallium was 0.032 wt%, with locally occurring grades up to 0.148 wt% gallium.

In 2011, the price for low-grade gallium oxide (99%) peaked at US\$1,150/kg. In 2017, the average price for low-grade gallium oxide was US\$135-\$140/kg. Currently, the price of high-grade gallium metal (99.99%) is greater than US\$220/kg.

Mr. James Sykes, Appia’s Vice-President, Exploration and Development, comments: “The naturally occurring high-concentrations of gallium associated with REEs emphasizes the potential value that exists at Alces Lake. The Alces Lake mineralization system is endowed with critical metals that are needed for emerging commercial technological and military defense applications. We observe naturally occurring gallium concentrations that are much higher than those occurring as concentrated by-products from bauxite and sphalerite ores. The grades we have observed are comparable to those of the Apex mine, the only primary mined source of gallium. The gallium extracted during the REE processing stage represents another potential revenue stream for Alces Lake”.

Appia will continue its gallium studies in the coming weeks/months, starting with re-analysing of high-grade REO samples for the presence of gallium. Positive analytical numbers could result in an advanced study by a Master’s student from the University of Saskatchewan to determine the presence/economic potential of recovering gallium at Alces Lake.

The 2017 assay results were provided by Saskatchewan Research Council’s (“SRC”) Geoanalytical Laboratory, an ISO/IEC 17025:2005 (CAN-P-4E) certified laboratory in Saskatoon, SK, for multi-element and REE analysis. The multi-element analysis, which includes gallium, uses a tri-acid (HF:HNO₃:HClO₄) total digestion technique to dissolve most elements, with the exception of refractory minerals, such as monazite. Since monazite was not fully dissolved, the gallium values are under-represented using this methodology. The REE analysis uses a lithium metaborate fusion to dissolve refractory minerals, such as monazite, but gallium was not reported with this method. The 2018 assay results were provided by ACT Labs, an ISO 17025 accredited laboratory in Ancaster, ON, for multi-element and REE analysis. Both multi-element and REE analysis used a lithium borate fusion to dissolve refractory minerals, including both gallium and REEs using the same digestion method, and shows a better correlation of gallium to REO.

All analytical results reported herein have passed rigorous internal QA/QC review and compilation. The technical content in this news release was reviewed and approved by Dr. Irvine R. Annesley, P.Geo, Advisor to Appia’s Board of Directors, and a Qualified Person as defined by National Instrument 43-101.

About Appia

Appia is a Canadian publicly-traded company in the uranium and rare earth element sectors. The Company is currently focusing on delineating high-grade critical rare earth elements (“REE”) and uranium on the Alces Lake property, as well as prospecting for high-grade uranium in the prolific Athabasca Basin on its Loranger, North Wollaston, and Eastside properties. The Company holds the surface rights to exploration for 57,048 hectares (140,968 acres) in Saskatchewan.

The Company also has a 100% interest (subject to a 1% Uranium Production Payment Royalty and a 1% Net Smelter Return Royalty on any precious or base metals payable, provided that the price of uranium is greater

than US\$130 per pound) in 12,545 hectares (31,000 acres), with rare earth element and uranium deposits over five mineralized zones in the Elliot Lake Camp, Ontario. The Camp historically produced over 300 million pounds of U₃O₈ and is the only Canadian camp that has had significant rare earth element (yttrium) production. The deposits are largely unconstrained along strike and down dip.

Appia's technical team is directed by James Sykes, who has had direct and indirect involvement with over 550 million lbs. U₃O₈ being discovered in five deposits in the Athabasca Basin.

Appia has 73.8 million common shares outstanding, 94.7 million shares fully diluted.

Cautionary Note Regarding Forward-Looking Statements: This News Release contains forward-looking statements which are typically preceded by, followed by or including the words "believes", "expects", "anticipates", "estimates", "intends", "plans" or similar expressions. Forward-looking statements are not guarantees of future performance as they involve risks, uncertainties and assumptions. We do not intend and do not assume any obligation to update these forward- looking statements and shareholders are cautioned not to put undue reliance on such statements.

Neither the Canadian Securities Exchange nor its Market Regulator (as that term is defined in the policies of the CSE) accepts responsibility for the adequacy or accuracy of this release.

For further information, please contact:

Tom Drivas, President, CEO and Director: (tel) 416-546-2707, (fax) 416-218-9772 or (email) appia@appiaenergy.ca

James Sykes, VP Exploration & Development, (tel) 306-221-8717, (fax) 416-218-9772 or (email) jsykes@uraniumgeologist.com

Frank van de Water, Chief Financial Officer and Director, (tel) 416-546-2707, (fax) 416-218-9772 or (email) fvandewater@rogers.com

TABLE 1 – GALLIUM AND TOTAL RARE EARTH OXIDE LITHOGEOCHEMICAL RESULTS FROM SELECT SAMPLES 2017 AND 2018

Sample	Zone	Year	Ga ₂ O ₃ (wt%)	La ₂ O ₃ (wt%)	CeO ₂ (wt%)	Pr ₆ O ₁₁ (wt%)	Nd ₂ O ₃ (wt%)	Sm ₂ O ₃ (wt%)	Eu ₂ O ₃ (wt%)	Gd ₂ O ₃ (wt%)	Tb ₄ O ₇ (wt%)	Dy ₂ O ₃ (wt%)	Ho ₂ O ₃ (wt%)	Er ₂ O ₃ (wt%)	Yb ₂ O ₃ (wt%)	Lu ₂ O ₃ (wt%)	Y ₂ O ₃ (wt%)	TREO (wt%)	CREO (wt%)
102020	Hinge	2017	0.004	0.971	2.211	0.211	0.875	0.109	0.001	0.063	0.006	0.014	0.001	0.010	0.001		0.034	4.508	1.107
102021	Hinge	2017	0.011	1.888	4.263	0.454	1.679	0.225	0.001	0.111	0.009	0.024	0.001	0.017	0.001		0.055	8.729	2.168
102034	NW Wilson	2017	0.009	0.997	2.309	0.256	0.922	0.131	0.001	0.069	0.007	0.017	0.001	0.011	0.001		0.047	4.771	1.204
102035	NW Wilson	2017	0.008	1.082	2.432	0.324	0.960	0.146	0.001	0.075	0.007	0.016	0.001	0.011	0.001		0.038	5.095	1.308
102036	Wilson	2017	0.013	2.568	5.921	0.714	2.379	0.361	0.003	0.175	0.015	0.038	0.002	0.025	0.001		0.090	12.293	3.149
102037	Danny	2017	0.010	1.935	4.471	0.476	1.842	0.275	0.002	0.145	0.015	0.049	0.001	0.026	0.005		0.156	9.400	2.385
102038	Danny	2017	0.011	2.639	6.007	0.672	2.437	0.348	0.003	0.176	0.018	0.048	0.001	0.030	0.003		0.150	12.532	3.178
102039	Danny	2017	0.005	2.850	6.511	0.761	2.635	0.385	0.003	0.196	0.020	0.054	0.001	0.034	0.003		0.171	13.626	3.474
102041	Danny	2017	0.012	2.111	4.778	0.509	1.901	0.266	0.001	0.125	0.012	0.026	0.001	0.019	0.001		0.065	9.815	2.449
102042	Danny	2017	0.014	2.533	5.823	0.674	2.297	0.327	0.002	0.150	0.013	0.032	0.002	0.023	0.001		0.074	11.951	3.019
102044	Wilson	2017	0.019	5.266	11.977	1.402	4.746	0.705	0.006	0.325	0.028	0.062	0.006	0.047	0.001		0.146	24.716	6.243
102045	Wilson	2017	0.011	5.653	12.775	1.571	5.084	0.778	0.007	0.364	0.032	0.070	0.007	0.051	0.002		0.169	26.564	6.763
102046	Wilson	2017	0.013	2.451	5.565	0.668	2.215	0.331	0.003	0.158	0.014	0.032	0.002	0.023	0.001		0.074	11.538	2.933
102050	Wilson	2017	0.017	3.905	8.820	1.063	3.475	0.517	0.005	0.242	0.021	0.045	0.005	0.034	0.001		0.107	18.240	4.608
102051	Wilson	2017	0.015	6.556	14.864	1.788	5.865	0.882	0.008	0.413	0.035	0.085	0.007	0.058	0.002		0.193	30.756	7.781
102063	Wilson	2017	0.008	1.278	2.899	0.348	1.160	0.171	0.001	0.085	0.007	0.016	0.001	0.013	0.001		0.038	6.019	1.532
102064	Wilson	2017	0.015	3.213	7.297	0.865	2.903	0.434	0.003	0.206	0.019	0.042	0.003	0.030	0.001		0.095	15.113	3.833
102065	Wilson	2017	0.012	4.246	9.655	1.122	3.848	0.558	0.005	0.266	0.024	0.052	0.005	0.039	0.001		0.126	19.945	5.050
102066	Wilson	2017	0.012	6.075	13.881	1.607	5.492	0.815	0.007	0.382	0.034	0.075	0.007	0.056	0.002		0.179	28.612	7.214
102067	Wilson	2017	0.015	4.633	10.478	1.232	4.139	0.621	0.006	0.294	0.026	0.056	0.005	0.041	0.001		0.137	21.669	5.460
102068	Ivan	2017	0.031	10.731	23.708	3.008	9.503	1.427	0.016	0.662	0.056	0.124	0.011	0.091	0.003		0.292	49.634	12.708
102069	Ivan	2017	0.035	11.235	25.182	3.129	9.899	1.496	0.017	0.685	0.059	0.130	0.013	0.097	0.003		0.314	52.260	13.234
102070	Ivan	2017	0.020	7.283	16.461	2.030	6.518	1.009	0.010	0.466	0.040	0.087	0.009	0.062	0.002		0.208	34.185	8.685
102075	Richard	2018	0.002	0.113	0.237	0.026	0.083	0.011	0.000	0.007	0.000	0.001	0.000	0.000	0.000	0.000	0.004	0.485	0.112
102077	Charles	2018	0.003	0.005	0.010	0.001	0.004	0.001	0.000	0.001	0.000	0.001	0.000	0.000	0.001	0.000	0.005	0.029	0.006
102179	Charles	2018	0.014	0.917	1.953	0.209	0.646	0.085	0.001	0.051	0.003	0.009	0.001	0.004	0.002	0.000	0.034	3.915	0.868
102196	Charles	2018	0.029	2.369	4.963	0.529	1.644	0.220	0.003	0.136	0.007	0.021	0.002	0.007	0.001	0.000	0.062	9.964	2.204
102465	Wilson	2018	0.013	0.941	2.015	0.210	0.663	0.097	0.001	0.056	0.003	0.012	0.001	0.004	0.001	0.000	0.032	4.037	0.890
102672	Wilson	2018	0.008	0.477	1.004	0.110	0.351	0.049	0.001	0.027	0.001	0.005	0.001	0.001	0.000	0.000	0.013	2.040	0.468
102712	Ivan	2018	0.115	12.784	26.779	2.972	9.491	1.206	0.016	0.680	0.034	0.116	0.014	0.036	0.002	0.001	0.319	54.450	12.629
102749	Ivan	2018	0.049	4.574	9.803	1.070	3.463	0.441	0.006	0.249	0.012	0.041	0.005	0.013	0.001	0.000	0.110	19.788	4.593
102830	Dylan	2018	0.085	9.218	20.391	2.271	7.101	0.916	0.012	0.521	0.025	0.085	0.010	0.028	0.001	0.001	0.207	40.789	9.495
102833	Dante	2018	0.022	2.299	5.061	0.505	1.632	0.234	0.003	0.137	0.008	0.026	0.003	0.008	0.001	0.000	0.071	9.989	2.174

The REEs Thulium (Tm) and Promethium (Pm) are not reported because they are both extremely scarce in nature, and Pm forms as a product of spontaneous fission of U-238

TREO = Total Rare Earth Oxide = sum of La₂O₃+CeO₂+Pr₆O₁₁+Nd₂O₃+Sm₂O₃+Eu₂O₃+Gd₂O₃+Tb₄O₇+Dy₂O₃+Ho₂O₃+Er₂O₃+Yb₂O₃+Lu₂O₃+Y₂O₃

CREO = Critical Rare Earth Oxide = sum of Pr₆O₁₁+Nd₂O₃+Eu₂O₃+Tb₄O₇+Dy₂O₃

- Highlighting Nd grades associated with high-grade TREO
- Highlighting Pr grades associated with high-grade TREO
- Highlighting "high-grade" TREO and CREO (i.e. >1.897* wt% TREO)

- Indicates light rare earth elements
- Indicates heavy rare earth elements

*Note: >1.897 wt% TREO represents >75th percentile for global REO deposit grades of advanced stage-projects (excluding Gakara, Steenkampskraal and Mount Weld CLD deposits). The global REO deposit information was derived from publicly available information as of January 31, 2018, from individual company websites, SEDAR technical report filings, and the Technology Metals Research Advanced Rare Earth Projects Index (<http://www.techmetalsresearch.com/metrics-indices/tmr-advanced-rare-earth-projects-index/>)